



TEST REPORT

Job No./Report No TR878737

Date:15 January 2016 Page 1 of 6

ARFEN İNŞAAT TAAH SAN VE TIC LTD ŞTI

ÖMERLİ MAH ATATÜRK SAN BÖL HAKKI İLERİ CAD GÜLCE SOK NO 22 HADİMKÖY ARNAVUTKÖY İSTANBUL

TEL: 02124851615

FAX: 02124851677

To the attention of Ersen Kutlu

The following sample(s) was (were) submitted and identified by/on behalf of the client as:

Sample No.	Sample Description
A	TPE DILATASYON PROFILI
B	VINY PVC DUVAR KORUMA BANDI

Client's reference No. : TR 878737
Buyer : Not Provided
Order No. : Not Provided
Division : Not Provided
Model/Style No. : Not Provided
Article No. : Not Provided
Age Grade : Not Provided
Manufacturer : Not Provided
Country of Origin : Not Provided
Country of Destination : Not Provided
Shipment Date : Not Provided
Fiber Composition : Not Provided
Fabric Weight : Not Provided
End Use : Not Provided
Sample Receiving Date : 12 January 2016
Test Performing Period : 12 January 2016 ~ 15 January 2016
Overall Conclusion : **See Results**
Test Results : Please refer to the next page(s).
Performed Test Summary: Selected test(s) as requested by client against Client's performance standard.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation.

SGS Supervise Gözetme Etüd Kontrol
Servisleri A. Ş.

İş İstanbul Plaza Bağlar Mah. Osmanpaşa Cad. No:95 E Girişi Güneşli 34209
t (90-212) 368 40 00 f (90-212) 296 47 82/83

İstanbul – Turkey
www.tr.sgs.com

TEST REPORT

Job No./Report No TR878737

Date:15 January 2016 Page 2 of 6

Test Parameters	Result	
Chemical tests	A1	B1
VOC SOLVENT	*	*

Remarks	:	M = Meets client's requirement
		F = Below client's requirement
		I = Inconclusive
		* = No specified requirement
Notes:	Conclusions on meet/fail are based on the test result from the actual sampling of the received sample(s).	
	Residual sample can be returned to client if requested.	

The test results relate to the tested items only.
Test reports without SGS seal and authorised signatures are invalid.
Reported results do not include uncertainties.

Issued in Istanbul
Signed for and on behalf of
SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

Cenk Hacıoğlu
Customer Services Supervisor

Yağız Barın
Section Manager




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation.

TEST REPORT

Job No./Report No TR878737

Date:15 January 2016 Page 3 of 6

Component List / List of Materials for Chemical Test

Sample No.	Sample Description	Material No.	Component	Material	Colour
A	TPE DILATASYON PROFILI	A1	Main	Plastic	Light Brown
B	VINY PVC DUVAR KORUMA BANDI	B1	Soft main	Plastic	Light Grey

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation.



TEST REPORT

Job No./Report No TR878737

Date:15 January 2016 Page 4 of 6

VOC Solvent

Test Method:

With reference to US EPA 8260C-VOC-Analysis by GC-MS

Component	Cas No	A1	B1	Detection Limit (g/L)
1,1-Dichloroethene	75-35-4	n.d.	n.d.	0.00005
Dichloromethane	79-09-2	n.d.	n.d.	0.00005
Trans-1,2-dichloroethene	156-60-5	n.d.	n.d.	0.00005
n-Hexane	110-54-3	n.d.	n.d.	0.00005
Cis-1,2-dichloroethene	540-59-0	n.d.	n.d.	0.00005
Chloroform	67-66-3	n.d.	n.d.	0.00005
1,1,1-Trichloroethane	71-55-6	n.d.	n.d.	0.00005
1,2-dichloroethane	107-06-2	n.d.	n.d.	0.00005
Trichloroethene	79-01-6	n.d.	n.d.	0.00005
Toluene-d8	2037-26-5	n.d.	n.d.	0.00005
Toluene	108-88-3	n.d.	n.d.	0.00005
1,1,2-Trichloroethane	79-00-5	n.d.	n.d.	0.00005
Tetrachloroethene	127-18-4	n.d.	n.d.	0.00005
N,N-Dimethylformamide	68-12-2	n.d.	n.d.	0.00005
Ethylbenzene	100-41-4	n.d.	n.d.	0.00005
p-Xylene	106-42-3	n.d.	n.d.	0.00005
m-Xylene	108-38-3	n.d.	n.d.	0.00005
o-Xylene	95-47-6	n.d.	n.d.	0.00005
Styrene	100-42-5	n.d.	n.d.	0.00005
N,N-dimethylacetamide	127-19-5	n.d.	n.d.	0.00005
Ethylene glycol monobutyl ether	111-76-2	n.d.	n.d.	0.00005
Cyclohexanone	108-94-1	n.d.	n.d.	0.00005
1,1,2,2-Tetrachloroethane	79-34-5	n.d.	n.d.	0.00005
Pentachloroethane	76-01-7	n.d.	n.d.	0.00005
Phenol	108-95-2	n.d.	n.d.	0.00005
N-Methylpyrrolidone	872-50-4	n.d.	n.d.	0.00005
o-Cresol	95-48-7	n.d.	n.d.	0.00005
p-Cresol,	160-44-5	n.d.	n.d.	0.00005
m-Cresol	108-39-4	n.d.	n.d.	0.00005
Naphthalene	91-20-3	n.d.	n.d.	0.00005
Dimethylsulfoxide	67-68-5	n.d.	n.d.	0,0002
2,6-Toluene diisocyanate	91-08-7	n.d.	n.d.	0,0002
2,4-Toluene diisocyanate	584-84-9	n.d.	n.d.	0,0002

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation.



TEST REPORT

Job No./Report No TR878737

Date:15 January 2016 Page 5 of 6

4,4'-Methylene-bis(2-chloroaniline)	101-14-4	n.d.	n.d.	0,0002
		n.d.	n.d.	
CarbonTetrachloride	56-23-5	n.d.	n.d.	0.00005
Benzene	71-43-2	n.d.	n.d.	0.00005
1,1,1,2-tetrachloroethane	630-20-6	n.d.	n.d.	0.00005
Sum of the VOCs		n.d.	n.d.	
Conclusion		See Results	See Results	
Requirement		No Requirement	No Requirement	

Doc.No.:CTSL-F-5.10-1NF / First Publish Date:23.08.2010 / Revision Date / No.:08.07.2015 / 4

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."


In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation.

SGS Supervise Gözetme Etüd Kontrol
Servisleri A. Ş.

İş İstanbul Plaza Bağlar Mah. Osmanpaşa Cad. No:95 E Girişi Güneşli 34209
t (90-212) 368 40 00 f (90-212) 296 47 82/83

İstanbul – Turkey
www.tr.sgs.com

Member of SGS Group (Société Générale de Surveillance)



* * *

End of Test Report

* * *

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory. Opinions and interpretations expressed herein are outside the scope of IAS Accreditation.